

Property Protection by Post Guard



0224

BOLLARD COVERS

- Decorative Plastic Covers 1
- Dome Top Bollard Covers 1
- Stainless Steel Covers 8

BOLLARDS

- Bolt Down Bollards 3
- Collapsible Bollards 4
- Concrete Bollards 8
- Crash-Rated Bollards 4
- Removable Bollards 3
- SlowStop® Bollards 5
- Steel Bollards 3

PARKING PROTECTION

- Height Guard 2
- Mini Curb 6
- Park Sentry 7
- Poletector Light Pole Guard 2
- Rubber Parking Curb 6
- Rubber Speed Bump 6
- Rubber Speed Hump 6

PADDED PROTECTION

- Bollard Guard 7
- Column Guard 7
- Gate Arm Guards 7

MATERIAL HANDLING PROTECTION

- Corner Protection 4
- Column Sentry® 7
- Dock Door Protection 4
- Sentry Products 4
- SlowStop® Bollards 5
- Wall Protection

FACILITY MAINTENANCE PROTECTION

- A/C Cage Guards 9
- Poletector Light Pole Guard 2

SIGNAGE

- bollardSOX™ 9
- Media Bollard 9

CLEARANCE PROTECTION

- Clearance Structure 2
- Height Guard 2

FLEXIBLE BOLLARDS

- Flexible Bollard 5
- FlexStake™ 10
- Gorilla Post 5
- Slow Stop® Bollards 5
- Traveler 10

ACCESSORIES & ADDITIONAL PRODUCTS

- Chain Products
- Gas Cylinder Cages
- Guard Post
- Ceme-Tube®
- Indoor Protection
- Plastic Parking Curbs
- Rack Protection
- Retractable Bollards
- SlowStop® Horseshoe Bollards



Encore Commercial Products, Inc.

37525 Interchange Drive • Farmington Hills, MI 48335-1027
 Toll Free 1-866-737-8900 • Fax 248-354-4095
www.postguard.com



Bollard Guard Products Corporation

5 Shirley Ave. • Kitchener, Ontario N2B 2E6
 Toll Free 1-800-756-3537 • Fax 519-570-4333
www.sureguard.ca

Maintenance-Free Bollard Protection!

WHY PAINT?



Post Guard covers save time and costs!

Post Guard cover sizes:

- 4.5" Dia. x 52"
- 4.5" Dia. x 64"
- 7" Dia. x 52"
- 7" Dia. x 60"
- 7" Dia. x 72"
- 8-7/8" Dia. x 72"
- 10-7/8" Dia. x 60"
- 12.75" Dia. x 60"

- Square:
- 4.5" x 4.5" x 55"
 - 6.5" x 6.5" x 55"

Easily trimmed on-site. Custom lengths available.



Bollard WITHOUT Post Guard cover



Bollard WITH Post Guard cover


Unique adhesive-free installation tightly secures Post Guard covers in all weather conditions!



Every Post Guard cover is packaged with two foam strips.



It securely slides over the post for a snug fit.



Looks great with or without reflective tape

Quick Payback
No scraping and painting

Fade Resistant
Long lasting fade protection



Colorful Choices
Covers and stripes

High Quality Plastic
Withstands extreme temperatures

Improves Property Appearance
At a very low price!

Recessed Reflective Striping
Increase visibility and safety

Great Looking Protection at Low Cost



12.75" Dia. x 60"

Great Looking Overhead Protection

HEIGHT GUARD™

Maintenance-Free Clearance Protection!


- Impact & fade resistant
- Closed on both ends
- Easily adapts for quick installation:
4.5" Dia. x up to 120"
7" Dia. x up to 120"
- Ships in two pieces to reduce freight costs
- All Post Guard cover & tape colors available



New Rebounding Height Guard Clearance Structure

- Perfect for car wash and facilities requiring height warnings.
- Finish options: Powder Coated Yellow, Powder Coated Black, or Powder Coated Silver
- Non-rebounding arm available

Structure Dimensions: 9'10" x 10' wide
Clearance Bar: Height Guard 4.5" x 80"



POLETECTOR³⁶⁰®

Maintenance-Free Light Pole Base Cover

Make old lots look new and new lots look complete!

- Enhances appearance & lowers maintenance costs
- Branding & logos available
- Protects vehicles
- Ring assembly fits 24" or 34" dia. round base – any height
- Installs easy without tools



BEFORE



AFTER



Metal Bollard Options

Bolt It!

Bolt Down Bollards


- Powder coated yellow or stainless steel
- Schedule 40 steel • Welded steel dome top
- Sizes: 4" x 36", 4" x 42" & 4" x 48" – 8" x 8" base plate
6" x 42", 6" x 48" – 10" x 12" base plate
- ½" thick base plate – 4 pre-drilled ¾" corner holes
- Anchors & lag bolts available



Base Plate Covers



- Protects bolts & improves appearance
- Yellow or stainless steel finish



Thread It!

Threaded Base Bolt Down Bollards

- No trip hazard with these nice looking bollards
- No core drilling & easy to install
- Rust resistant
- 2 or 3 hole threaded base allows quick install or replacement
- Galvanized:
4" x 32" & 5" x 42"
- Stainless Steel:
2" x 32", 4" x 24",
4" x 32", 4" x 48"
- Powder Coated - 4" x 32" & 5" x 42"
- Anchors & lag bolts available



Core It!

High Quality Steel Bollards



GUARD PIPE PROPERTY PROTECTION

- Cut to custom length
- Wide variety of standard sizes
- Delivered prime painted
- Available options: galvanized, other diameters & lengths, and full service fabrication

Diameter	Schedule	Wall Thickness	Outside Dimension
4"	10	.130"	4.5"
4"	40	.237"	4.5"
4"	80	.337"	4.5"
6"	10	.134"	6.625"
6"	40	.280"	6.625"
6"	80	.432"	6.625"
8"	20	.250"	8.625"
8"	40	.322"	8.625"
8"	80	.500"	8.625"
10"	20	.250"	10.75"
10"	40	.365"	10.75"
10"	XHD	.500"	10.75"
12"	STD	.375"	12.75"
12"	40	.500"	12.75"

Remove It!

Removable Bollards

Restrict or Allow Vehicle Access

- Walkways, bike paths & special events
- Removes fast to allow emergency and maintenance vehicles
- Stainless steel embedment sleeve with hinged lid
- Dome top powder coated yellow carbon steel or stainless steel
- 4" Dia. x 36" & 6" Dia. x 36"



Crash-Rated Bollards

Helps Protect People & Property
Improves Safety for Customers & Employees



4.5" SAFETY ROUND

- Increase safety & appearance with Post Guard Covers

- ASTM F3016 S20 Certified to Stop a 5,000 lb. vehicle at 20 MPH
- Innovative design is easier & less costly to install
- Hot dipped galvanized finish • Optional color powder coating
- 36" above grade / 36" below grade




5" SAFETY SQUARE

- Decorative look
- Adds stable appearance



5" SAFETY X-FRAME

 • Creates protective barrier • Guides pedestrians • 36" & 60" widths

More Quality Asset Protection Products

DOCK DOOR PROTECTION




Dock Door Guard

Helps increase safety for fork lift operators while reducing expensive damage to doors and door tracks.

- Schedule 40 steel • Powder coated yellow
- Each arm - 36" long
- 5" x 7" base plate with three mounting holes
- Easy to install

Door Track Guard

Helps protect overhead door tracks from expensive damage caused by forklifts and vehicles.



- Yellow powder coated steel
- Steel sides are 1/3" thick
- Bolted in front of the door tracks – will not interfere with door operation
- 10" x 10" x 1/2" base
- Heights: 24", 36" & 48"

RACK & CORNER GUARDS




Rack Guard

- Powder coated yellow
- Core & drop installation with two anchors lag bolts (not included)



C-Shape Corner Guard

- Stainless steel finish
- 18" H x 8" W x 4" D
- No exposed hardware



Corner Guard

- Schedule 40 steel
- Powder coated yellow or stainless steel
- Anchors & lag bolts available
- 18" Height

Collapsible Bollard

Quickly allows or restricts vehicle access




ROUND
3" Dia x 36" H
4.1" H - folded
8" x 8" base



LOW PROFILE
5" W x 36" H
3" H - folded
6" x 6" base
Optional signage

- Schedule 40 steel powder coated yellow
- Padlock (sold separately) easily secures up or down position
- Surface Mounted

The hinged bollard folds at a 90 degree angle.



Rubber Rounded & Rubber Corner Guard

- High-impact virgin rubber
- Long lasting and cost-efficient
- Reflective tape increases visibility



Corner Sentry™

- Flexible EVA material
- Tapered & low profile
- Easy to install with fasteners or straps
- 42" Height

Removable & Permanent Flexible Bollard Options

Gorilla Post™

is a removable & flexible bollard or signpost with a unique magnetic mounting system.

- Lightweight
- Secures quickly in place
- Virtually impossible to remove without special tool



The tamper-proof Gorilla Post™ was developed for:

- Sidewalks • Parking Lots • Parking Garages • Factory Floors
- Concourses • Pedestrian Pathways • Drive-Through Lanes



Flexible Bollard

- Reduce maintenance & replacement costs for bent bollards & posts
- Post Guard cover over a galvanized steel post mounted with spring-driven hardware
- Super flexible when hit from any angle
- Many colors & heights available

FlexBollard XL uses a galvanized steel post and a durable spring that allows super flexibility when it's hit from any angle. Plus, a Post Guard cover makes it look great! FlexBollard XL is available in many different heights and colors.



SlowStop®

Absorbs Energy / Reduces Damage

- Energy of impact is absorbed by elastomer in the bollard's base.
- After the impact, the bollard returns upright.
- Powder coated yellow steel • Installs on concrete only
- 3", 4", 5" & 6" Dia.



Speed & Parking Control

Rubber Parking Curb



- *Helps reduce damage to low, front end cars*
- *Safer & more durable than concrete*
- *6' long curb weighs only 34 lbs. – one person installation*
- *Molded-in reflective tape available in yellow or white*



Rubber Parking Curb features:


- *Excellent for indoor or outdoor parking*
- *Will not chip, crack, warp or fade*
- *High visibility at night*
- *Temporary or permanent installation*
- *Does not require heavy machinery*
- *Virtually maintenance-free*
- *Available:*
 - *with anchoring spikes or lag bolts*
 - *in 4' & 6' lengths*

Our smooth riding traffic control products are simple to install and made from rubber.



Rubber Speed Bump

Rubber Speed Bumps help make parking lots safer for pedestrians and motorists by reducing vehicle speeds to 2-5 mph. The channeled bottom facilitates drainage and can cover cabling or piping. Their flexible design conforms to the contour of virtually any road surface and is available in 4' and 6' lengths.



- End caps are available to enhance the appearance and smooth ride.
- Rubber Speed Bump and Rubber Speed Hump can be easily removed for storage or relocation.

Rubber Speed Hump

Rubber Speed Humps are designed to slow traffic to 10-15 mph while maintaining a continuous traffic flow. The rubber hump is perfect for schools, parking lots, crossings, playground areas and hospitals. The interlocking tongue and groove system allows Rubber Speed Humps to be linked together to cover various widths.



Column Protection helps prevent expensive damage

Unlike other less expensive products on the market, these Sentry protectors can take many repeated hits without needing replacement.

Column Sentry® protectors use a cushion of air to help prevent damage by forklifts



Column Sentry® protector is molded from low-density polyethylene and surrounds interior building columns with a cushion of air. Air-vent chamber allows air to escape during an impact.



- Tough
- Safety Yellow – Highly visible
- Easy to install
- Cost-effective
- Air-vented protection
- Various column sizes – 42" Height

Park Sentry® helps protect columns and vehicles with a special material



Park Sentry® adds a thin layer of scratch-resistant material around concrete columns. It can fit any square or rectangular column and is easy to install. Park Sentry

lets drivers park closer to the columns and covers the "splash zone" preventing corrosion from salt.

- Improves appearance
- 1.6" thick plank for low-profile
- Interlocking pieces create one-piece column wrap-around
- Oil, chemical, water and flame resistant




Column Sentry FIT adjusts to different columns

Column Sentry FIT is a 4-part product designed to FIT exactly around a building column to provide superior protection. The adjustable parts slide into place to create a custom fit for every column:

- **Small FIT:** 4"x 4" to 8"x 8" columns

- **Medium FIT:** 8"x 8" to 12"x12" columns



Cushion hard surfaces and reduce vehicle scratches and dents!



BOLLARD GUARD

Bollard Guard is a cushioned nylon sleeve that helps protect vehicles from bollards, posts and poles.

Bollard Guard is used in parking garages, banks, restaurants, gas stations, warehouses, retail stores and drive-thru locations.

- Custom made to fit any size bollard.
- Easily installs in seconds!



COLUMN GUARD

Column Guard is a cushioned sleeve that wraps around support columns

to help protect vehicles from minor damage. Perfect for cement columns in parking structures.


GATE ARM GUARD



Easy Installation

Gate Arm Guard is a cushioned sleeve that helps protect vehicles and pedestrians from contact with a moving gate arm.

- Custom made to fit straight or folding gate arms.
- End caps are available.



Decorative Bollard Covers add style to plain bollards


Stainless Steel Bollard Covers

- #304 & #316
- Polished to a #4 Finish
- Cap styles: Flat, Dome & Slant
- Custom Made to Specifications



Unique & Attractive Concrete Bollards

- Reinforced concrete bollards improve aesthetics & security.
- Constructed with steel rebar & encased in 5,000 psi concrete
- Many textures, finishes and design options
- Wide spectrum of colors



U-Shaped Pipe Guard Bollards

- High quality domestic steel
- Schedule 40 pipe
- Delivered prime painted black
- Stainless steel available
- Variety of sizes




More Quality Products

A/C Cage Guards Reduce Vandalism & Theft



- Quick, simple & secure installation
- Easy access for service technicians
- Top panel secures all panels with puck lock
- In-ground or surface mounting
- 3-sided – 4th side available
- Black Powder Coated or Galvanized



Post Guard Traveler

- Portable 4" x 52" Post Guard Bollard Cover
- 18 lb. Recycled Rubber Base
- Options: Sign Kit (includes post & sign bracket), Castors, Eyebolts, Chain



FlexStake™ The quick & easy traffic delineator



- Impact-resistant tubular post
- 360 degree visibility
- Asphalt or concrete installation
- 2-1/3" Dia x 42" H post x 8" base
- Locking pin allows for fast release

Portable Media Bollard Promotes, advertises & guides traffic



- Drivers & customers easily see your message
- Displays two 8" x 36" signs which can be made by most local sign stores
- Oversize handle with comfort grip
- Stackable with or without base
- 9 lb. base made from recycled materials

bollardSOX™ Celebrate the Holidays! Promote Sales!

- Valentine's Day
- Fourth of July
- Halloween
- Christmas
- Custom Designs & Messages



These colorful nylon socks fit snugly over bollards with or without plastic bollard covers.

- 7" Dia. x 52"
- 4.5" Dia. x 52"

